

QUESTIONNAIRE

FOR DESIGN OF A SLIP RING ASSEMBLY

Company: _____
 Contact person: _____
 Street: _____
 Zip code / city: _____
 Phone: _____
 Fax: _____
 e-Mail: _____ @ _____

Contact:

Andreas Kramer
 akramer@wabtec.com
 Tel. +49 59 23 81 452

SLIP RING ASSEMBLY DETAILS	
1.	Quantity of slip ring assemblies <input type="text"/> pieces
2.	Quantity of rings / ways <input type="text"/> main current / <input type="text"/> control current / <input type="text"/> signals/data
3.	Transmission of main current frequency converter: <input type="checkbox"/> yes / <input type="checkbox"/> no <input type="text"/> frequency: <input type="text"/> Hz <input type="text"/> voltage: <input type="text"/> V <input type="text"/> amperage: <input type="text"/> A <input type="checkbox"/> type of current: <input type="checkbox"/> AC <input type="checkbox"/> DC
4.	Transmission of control current <input type="text"/> frequency: <input type="text"/> Hz <input type="text"/> voltage: <input type="text"/> V <input type="text"/> amperage: <input type="text"/> A <input type="checkbox"/> type of current: <input type="checkbox"/> AC <input type="checkbox"/> DC
5.	Transmission of signals type of signal: <input type="checkbox"/> audio <input type="checkbox"/> video <input type="checkbox"/> measurements <input type="checkbox"/> others <input type="text"/> frequency: <input type="text"/> kHz <input type="text"/> voltage: <input type="text"/> V <input type="text"/> amperage: <input type="text"/> A
6.	Transmission of data data rate: <input type="text"/> kBit/s Bus-type: <input type="checkbox"/> Profibus <input type="checkbox"/> Interbus <input type="checkbox"/> CAN-Bus <input type="checkbox"/> Ethernet (Office) <input type="checkbox"/> Industrial Ethernet <input type="checkbox"/> others
7.	Duty cycle <input type="text"/> % ED
8.	Max. installation dimensions <input type="checkbox"/> <input type="text"/> Ø or <input type="checkbox"/> H <input type="text"/> x B <input type="text"/> x L <input type="text"/> mm
9.	Free inner diameter <input type="checkbox"/> yes = <input type="text"/> Ø pillar / <input type="checkbox"/> no
10.	Installation position <input type="checkbox"/> horizontal <input type="checkbox"/> vertical
11.	Rotation speed <input type="text"/> rotations per minute
12.	Electrical pre-wiring <input type="checkbox"/> yes / <input type="checkbox"/> no
13.	Cable length <input type="checkbox"/> flange side <input type="text"/> m / <input type="checkbox"/> housing side <input type="text"/> m
14.	Heating <input type="checkbox"/> yes = <input type="text"/> V available heating voltage / <input type="checkbox"/> no
15.	Housing <input type="checkbox"/> yes / <input type="checkbox"/> no
16.	Protection class for enclosed slip ring assemblies <input type="checkbox"/> IP 34 <input type="checkbox"/> IP 54 <input type="checkbox"/> IP 65 <input type="checkbox"/> IP <input type="text"/>
17.	Ambient temperature <input type="text"/> - <input type="text"/> °C up to <input type="text"/> °C
18.	Application site <input type="checkbox"/> onshore <input type="checkbox"/> coastal region <input type="checkbox"/> offshore
19.	Application area / kind of application / special environmental conditions <input type="text"/>
SPECIAL REQUIREMENTS	
20.	<input type="text"/>

QUESTIONNAIRE
SKETCH SHEET

